

Zarafa S/MIME Webaccess Plugin Server Manual

Server side installation and Administrator
information



Addresses

Zarafa
Schieweg 2
2627 AN Delft
The Netherlands



This document will explain how to install/upgrade, configure and maintain the Zarafa S/MIME plugin on your Linux server. We assume you have knowledge of your Linux distribution, and know a few basic Linux commands and know how to edit files.

Table of contents

1 Zarafa S/MIME plugin technical overview.....	2
1.1 Requirements.....	2
1.2 Installation.....	2
1.3 Configuration.....	2
1.4 Upgrade.....	2
1.5 Remove.....	2

1 Zarafa S/MIME Webaccess Plugin technical overview

The Zarafa S/MIME plugin provides sending and receiving of encrypted and signed messages functionality to Zarafa Webaccess Users.

1.1 Requirements

The Zarafa S/MIME plugin requires PHP with openssl support to function properly. To ensure that your PHP installation is compiled with openssl support inspect the output of the `phpinfo()` function.

1.2 Installation

To install the S/MIME plugin for the Zarafa Webaccess follow these steps:

1. Download the latest version of the S/MIME plugin from Zarafa's website.
2. Untar the plugin in the plugins folder of your Webaccess installation.

1.3 Configuration

No server configuration is needed for the plugin.

1.4 Upgrade

To upgrade the S/MIME plugin you should remove the `zarafa-smime` folder from the plugins directory of the Zarafa Webaccess installation and follow the installation instructions of paragraph 1.1

1.5 Remove

To remove the S/MIME plugin you should completely remove the `zarafa-smime` folder from the plugins directory of the Zarafa Webaccess installation.